SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME : HYDRA-DRI

SYNONYMS: Product is a mixture: No synonyms are available.

PRODUCT USE : Moderately Alkaline Material

SUPPLIER : HYDRAMASTER INC.

SUPPLIER'S ADDRESS : 11015 47TH AVE W, MUKILTEO, WA 98275

(425) 776-7272

EMERGENCY RESPONSE PHONE: PERS: 1-800-633-8253

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS U.S. – CLASSIFICATION : H302 Harmful if swallowed.

H315 Causes skin irritation

H319 Causes serious eye irritation

LABEL ELEMENTS: GHS – US HAZARD PICTOGRAMS The product is classified and labeled according

to the Globally Harmonized System (GHS).

HAZARD PICTOGRAMS :

(!)

SIGNAL WORD : WARNING

HAZARD STATEMENTS: Not established

P101

(GHS-US)

H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

PRECAUTIONARY STATEMENTS

(GHS-US)

P102 Keep out of reach of children.

: P103 Read label before use.

: P264 Wash skin and contaminated clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P280 Wear suitable protective gloves/protective clothing/eye

protection/face protection.

: P301+ IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

If medical advice is needed, have product container or label at hand.

P312 unwell.

: P302+P352 : IF ON SKIN: Wash with plenty of soap and water.

P305+351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove

P338 contact lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P501 Dispose of contents/container in accordance with

local/regional/national/international regulations

OSHA HAZARDS : Target Organ Effect (Glycol Ether DPM)
TARGET ORGANS : Kidney, Liver, Nerves (Glycol Ether DPM).

CLASSIFICATION SYSTEM : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA RATINGS (SCALE 0-4) : Health = 2, Fire = 0, Reactivity = 0 HMIS RATINGS (SCALE 0-5) : Health = 2, Fire = 0, Reactivity = 0

SECTION 3 - COMPOSITON/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC

Mixtures

DESCRIPTION

Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS#	EINECS #	GHS CLASSIFICATION	
Dipropylene glycol methyl ether	1-5	34590-94-8	252-104-2	Eye Irrit: Cat 2B	
Sodium Carbonate	10-20	497-19-8	207-838-8	Skin Irrit. Cat 2, Eye Irrit. Cat 2A	
Sodium Tripolyphosphate	40-60	7758-29-4	231-838-7	Skin & Inhalation Irrit. Cat 4	
Sodium Metasilicate	5-10	6834-92-0	229-912-9	Skin Corr: Cat 1C, Eye Corr. Cat 1	
Propylene Glycol Butyl Ether	1-5	5131-66-8 &	225-878-4	Skin Irrit. Cat 2, Eye Irrit. Cat 2A	
		18821-83-7			
Ethylenediamine Tetraacetate Na salt	5-10	64-02-8	200-573-9	Skin Irrit Cat 2, Eye Dam Cat 2A	
Alcohol Ethoxylate	1-5	68439-46-3	Not Found	Eye Irrit Cat 2B	
Sodium sulfate	5-10	7757-82-6	231-820-9	Skin Irrit. Cat 3, Eye Corr Cat 2B	
D-Limonene (citrus terpenes)	1-5	5989-27-5	227-813-5	Flam Liq Cat 3, Acute Tox Oral Cat 5,	
				Skin Irrit Cat 2, Eye Irrit Cat 2A,	
				Skin Sens Cat 1, Acute Tox Aquatic	
				Cat1	

Irrit. = Irritation, Corr. = Corrosion, Cat. = Category, Dam = Damage, Tox = Toxic, STOT SE = Single Target Organ Toxicity Single exposure.

SECTION 4 - FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. Show the label where possible.

EYE CONTACT

Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Get immediate medical attention.

SKIN CONTACT

Remove contaminated clothing and shoes. Wash affected skin area with soap and water. Delayed skin damage is possible if product is not completely washed off. Get immediate medical attention.

SWALLOWING (INGESTION)

If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention.

INHALATION

Remove to fresh air. Get immediate medical attention.

OTHER INSTRUCTIONS

Rescue personnel must wear appropriate protective equipment during removal of

victims from contaminated areas. Treat symptomatically and supportively.

SECTION 5 - FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA SPECIAL PROTECTIVE

: Dry chemical, foam, water or carbon dioxide.

EQUIPMENT AND PRECAUTIONS FOR FIRE In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all

FIGHTERS

non-essential personnel from the danger area.

UNUSUAL FIRE AND EXPLOSION HAZARDS No further relevant information is available.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS,
PROTECTIVE EQUIPMENT &
EMERGENCY PROCEDURES
ENVIRONMENTAL PROCEDURES
METHODS AND MATERIALS FOR
CONTAINMENT AND CLEAN-UP

- Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.
- : Keep spilled material away from sewage/drainage systems and waterways.
 - All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

: Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.

CONDITIONS FOR SAFE STORAGE

: Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.





SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
Dipropylene glycol methyl ether	100 ppm, 600mg/m ³	100 ppm	150 ppm
Sodium Carbonate	Not Established	Not Established	Not Established
Sodium Tripolyphosphate	Not Established	Not Established	Not Established
Sodium Metasilicate	8hr Recommended: 3mg/m ³	Not Established	Not Established
Propylene Glycol Butyl Ether	Not Established	Not Established	Not Established
Ethylenediamine Tetraacetate (EDTA)	Not Established	Not Established	Not Established
Alcohol Ethoxylate	Not Established	Not Established	Not Established
Sodium Sulfate	Not Established	Not Established	Not Established
D-Limonene (citrus terpenes)	Not Established	Not Established	Not Established

EYE PROTECTION
SKIN PROTECTION

: Wear chemical splash goggles or face shield.

: Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.

RESPIRATORY PROTECTION

In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

VENTILATION

: Ensure adequate ventilation.

ADDITIONAL MEASURES

: Emergency eyewash and safety shower facilities should be available in the immediate work area.

REQUIRED WORK/HYGIENE

: Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

PAGE 3 of 8

Blue free flowing powder with mild odor. **APPEARANCE**

ODOR Mild fruity fragrance.

ODOR THRESHOLD Not available

11.5 - 12.0 (1% solution)

MELTING POINT/FREEZING

POINT

Not available

BOILING POINT NOT EST.

FLASH POINT Non flammable, non combustible

Not available **EVAPORATION RATE**

FLAMMABILITY Non flammable-Non combustible

LOWER FLAMMABILITY LIMIT Not available **UPPER FLAMMABILITY LIMIT** Not available **VAPOR PRESSURE** Not available **VAPOR DENSITY (AIR=1)** Not available **RELATIVE DESNITY** > 1.

SOLUBILITY IN WATER

Soluble in water PARTITION COEFFICIENT n-Not available

OCTANOL/WATER

AUTOIGNITION TEMPERATURE : Not available **DECOMPOSITION** : Not available

TEMPERATURE

SECTION 10 – STABILITY AND REACTIVITY

STABILITY Stable under recommended storage conditions.

AVOID

HAZARDOUS CONDITIONS TO : No decomposition if used according to specifications

INCOMPATIBLE MATERIALS

HAZARDOUS DECOMPOSITION

PRODUCTS

No dangerous decomposition products known.

Keep away from strong acids.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION Dipropylene Glycol Methyl Ether

ACUTE TOXICITY LD50 values: Oral LD50: 5152 mg/kg (rat). LC50 dermal and inhalation: Not listed.

Eyes: Rabbit: Mild Irritation: 25 hours.

CARCINOGENICITY No component of this product present at levels greater than or equal to 0.1% is

identified as probable or confirmed human carcinogen by IARC, ACGIH, NTP, and

OSHA.

TOXICOLOGICAL INFORMATION Sodium Carbonate

ACUTE TOXICITY Not Classified. LD50 values: Oral LD50: 4090mg/kg (rat).

SKIN CORROSION/IRRITATION : Causes skin irritation. **SERIOUS EYE** Causes serious eye irritation.

DAMAGE/IRRITATION

TOXICOLOGICAL INFORMATION Sodium Tripolyphosphate

ACUTE TOXICITY Oral - rat LD50 - 5,400 mg/kg; practically non-toxic

Dermal - rabbit LD50 - > 7,940 mg/kg; practically non-toxic

Eye Irritation - rabbit - 3.3/110.0; slightly irritating Skin Irritation - rabbit - 0-0/8.0 (24-hr exp.); not irritating

Inhalation - LC50 > 0.39 mg/L (rat, 4 hr) (maximum attainable concentration)

TOXICOLOGICAL INFORMATION Sodium Metasilicate

ACUTE TOXICITY : LD50 Oral: 1280mg/kg (Rat), 2400mg/kg (mouse)

CHRONIC TOXICITY : No data were available regarding chronic exposure, reproductive or teratological

effects, or carcinogenicity for sodium metasilicate.

CARCINOGENICITY : This product is not classified as a carcinogen by NTP, IARC or OSHA.

TOXICOLOGICAL INFORMATION : Propylene Glycol Butyl Ether ACUTE TOXICITY : LD 50 Rat: 2,200 mg/kg ACUTE INHALATION TOXICITY : No data available

ACUTE DERMAL TOXICITY : LD 50 Rabbit: 3,100 mg/kg

TOXICOLOGICAL INFORMATION: Ethylenediamine Tetraacetate **ACUTE TOXICITY**: LD50 Oral (rat): 630 - 1,260 mg/kg,

INHALATION LC50DERMAL LD50OTHER INFORMATION ONNo data availableNo data available

ACUTE TOXICITY

TOXICOLOGICAL INFORMATION: Ethoxylated Alcohol 91-6
ACUTE TOXICITY: LD50 Oral (rat): 1,378 mg/kg,

INHALATION LC50 : No data available.

DERMAL LD50 : LD50 Dermal (rat): > 5,000 mg/kg. **PRIMARY SKIN IRRITATION** : (Rabbit) Moderate to severely irritating.

PRIMARY EYE IRRITATION : (Rabbit) Severely irritating.

TOXICOLOGICAL INFORMATION : Sodium Sulfate

ACUTE TOXICITY : **INGESTION:** Oral LD50 (mouse) is reported to be 5,989 mg/kg.

IRRITATION : No data available.
BIOACCUMULATION : No data available.

CARCINOGENICITY : Not listed as a carcinogen by the Environmental Protection Agency (EPA)

TOXICOLOGICAL INFORMATION : D-Limonene (Citrus Terpenes)

ACUTE TOXICITY : LD50 Oral (rat): >5000 mg/kg. LD50 Dermal (rabbit): >5,000 mg/kg, RD50 Inhalation

(mice): > 1,000 mg/kg.

IRRITATION : Prolonged or repeated exposure can cause drying or dermatitis of skin.
 BIOACCUMULATION : No appreciable bio-concentration is expected in the environment.

CARCINOGENICITY : This product is not classified as a carcinogen by OSHA, IARC, ACGIH or NTP.

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION : Dipropylene Glycol Methyl Ether

ECOTOXICITY (aquatic and terrestrial, where available):

ACUTE FISH TOXICITY : LC50 / 96 hours Fathead Minnow - >10,000 mg/L

TOXICITY TO DAPHNIA : EC50 / 48 hours Water flea - 1,919 mg/L

PERSISTENCE AND : No data available.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL: No data available.

ECOLOGICAL INFORMATION : Sodium Carbonate

ECOTOXICITY : LC50 Fishes 1: 300mg/L, EC Daphnia: 265mg/L, LC50 Fishes 2: 740mg/L.

PERSISTENCE and : No data available.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL: No data available.

ECOLOGICAL INFORMATION : Sodium Tripolyphosphate

ECOTOXICITY : Invertebrate: 48-hr LC50 Daphnia magna: > 1000 mg/L; Practically Nontoxic 96 hr. LC

50 > 100 mg/L, non-toxic (Rainbow trout, Inland silversides and mysid schrimp).

[FMC I89-1081, 1082 & 1083] 48 hr. LC 50> 100 mg/L, non-toxic (Daphnia magna)

[FMC I89-1084]

PERSISTENCE and DEGRADABILITY

: No data available.

ENVIRONMENTAL FATE

Phosphates: Inorganic phosphates, including this product, at high concentrations in the environment have the potential to cause eutrophication in aquatic systems. This condition is characterized by excessive algal growth, and subsequent decreases in oxygen levels. In general, proper use and disposal of this product should pose no adverse ecological risk.

ECOLOGICAL INFORMATION: Sodium Metasilicate

ECOTOXICITY (Aquatic Toxicity)

: This material has exhibited moderate toxicity to aquatic organisms.

BIODEGRADATION PERSISTENCE

This material is inorganic and not subject to biodegradation.This material is believed to persist in the environment.

BIOCONCENTRATION

: This material is not expected to bio-concentrate in organisms.

ECOLOGICAL INFORMATION

ECOTOXICITY: TOXICITY TO FISH : No data available TOXICITY TO DAPHNIA : No data available TOXICITY TO ALGAE : No data available TOXICITY TO BACTERIA : No data available

ECOLOGICAL INFORMATION

: Ethylenediamine Tetraacetate

Propylene Glycol Butyl Ether

ECOTOXICITY PERSISTENCE AND

No data available. No data available.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL: No data available.

ECOLOGICAL INFORMATION

ECOTOXICITY

: Ethoxylated Alcohol 91-6

: LC50 Rainbow Trout: 1-10 mg/l, 96hr. Value estimated from tests on similar

products.

LC50 Fathead Minow: 6 mg/l, 96hr. Value estimated from tests on similar products.

BIODEGRADABILITY
PERSISTENCE AND

Readily biodegradable.

No data available.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL

: No data available.

ECOLOGICAL INFORMATION

ECOTOXICITY

Sodium Sulfate

: FISH TOXICITY: TLm Bluegill - 12,750 ppm/96 hr.; LC50 Mosquito fish - 17,500 mg/l/48 hr. In turbid water, LC50 Fathead minnow - 13,500 to 14,000 mg/l/24 to 96

hr in soft water; LC50 opossum shrimp - 11,300 ppm/48 hr; LC50 sheepshead

minnows - >18,000 ppm/48 hr.

INVERTEBRATE TOXICITY : LC50 Daphia Magna - 4547 mg/l/96 hr; LC50 Caddis fly - 320 mg/l/960 hr in soft

water.

PERSISTENCE AND

DEGRADABILITY

No data available.

BIOACCUMULATIVE POTENTIAL

: No data available.

ECOLOGICAL INFORMATION

: D-Limonene (Citrus Terpenes)

ECOTOXICITY

There is no information available at this time for this product. However, a spill may produce significant toxicity to aquatic organisms and ecosystems. Some studies have shown that certain bacteria and fungi have the ability to degrade citrus terpenes, decreasing their toxicity to fish. When spilled, this product may act as an oil, causing a film, sheen, emulsion or sludge at or beneath the surface of a body of water

Citrus Terpenes volatize rapidly.

MOBILITY

PERSISTENCE AND : Readily biodegradable.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL: Bio-concentration is not expected to occur.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL : This product must be disposed of in accordance with Federal, state and local

environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should

be classified as a hazardous waste.

SECTION 14 – TRANSPORTATION INFORMATION

DOT/IMDG/ IATA PROPER : Not Hazardous

SHIPPING NAME

HAZARD CLASS AND LABEL : Not Applicable.
UN NUMBER : Not Applicable.
PACKAGING GROUP : Not Applicable.
EPA REPORTABLE QUANTITY : Not Applicable.

(RQ)

MARINE POLLUTANT : Not listed.
EMERGENCY RESPONSE GUIDE : Not Applicable.

SECTION 15 - REGULATORY INFORMATION

U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information

U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN : Not listed.

TSCA STATUS: The ingredients of this product are listed in TSCA inventory (40CFR 710.)

SARA SECTION 302 : No chemicals in this material are subject to the reporting requirements of SARA Title

III, Section 302.

SARA SECTION 312 : Chronic health hazard (Glycol Ether DPM).

SARA SECTION 313 : This material does not contain any chemical components with known CAS numbers

that exceed the threshold (De Minimis) reporting levels established by SARA Title III,

Section 313.

NFPA HEALTH : 2 NFPA FLAMMABILITY : 0 NFPA REACTIVITY : 0

EUROPEAN UNION REGULATORY INFORMATION:

EC CLASSIFICATION : Non Hazardous

DSD/DPD RISK (R) PHRASES: R22: Harmful is swallowed.

R36/38: Irritating to eyes and skin.

DSD/DPD SAFETY (S) PHRASES : S1/2: Keep locked up and out of reach of children.

S24/25: Avoid contact with eyes and skin.

S26: In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice.

S36/S37/39: Wear suitable protective clothing, gloves and

eye/face protection.

S45: In case of accidents or if you feel unwell, seek medical advice immediately. Show label where possible.

S61: Avoid release to the environment. S62: If swallowed, do not induce vomiting.

S64: If swallowed, rinse mouth with water if victim is

conscious.

DSD/DPD HAZARD SYMBOL : Xi: Irritant

CANADIAN REGULATORY INFORMATION:

WHMIS CATEGORY : D2B: Materials that cause other toxic effects (TOXIC).

Listed

DOMESTIC SUBSTANCES LIST

(DSL)

INGREDIENT DISCLOSURE LIST : Listed



SECTION 16 – OTHER INFORMATION

DISCLAIMER : The information contained herein has been compiled from sources believed to be

realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and

recommendations in the specific context of their intended use.

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act.

EINECS : European Inventory of Existing Commercial Chemical Substances

IMDG
 International Maritime Code for Dangerous Goods
 IARC
 International Agency for Research on Cancer
 IATA
 International Air Transportation Association

ACGIH : American Conference of Governmental Industrial Hygienists

NFPA : National Fire Protection Association (USA)

NTP : National Toxicology Program

SARA : Superfund Amendments and Reauthorization Act

TSCA : Toxic Substances Control Act

HMISHazardous Materials Identification System (USA)WHMISWorkplace Hazardous Materials Information System

LC50 : Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

STOT : Systemic Target Organ Toxicity

DATE PREPARED : JAN 12, 2015 DATE REVISED : March 28, 2018