## **SECTION 1- PRODUCT IDENTIFICATION**

**PRODUCT NAME** : NATURAL ORANGE

**SYNONYMS**: Product is a mixture: No synonyms are available.

PRODUCT USE : Mildly Alkaline Material SUPPLIER : HYDRAMASTER CORP.

**SUPPLIER'S ADDRESS**: 11015 47TH AVE W, MUKILTEO, WA 98275

(425) 776-7272

EMERGENCY RESPONSE PHONE

**NUMBER** 

: PERS: 1-800-633-8253

## **SECTION 2 – HAZARD IDENTIFICATION**

**CLASSIFICATION OF THE SUBSTANCE OR MIXTURE** 

GHS U.S. – CLASSIFICATION : H302 Harmful if swallowed.

H315 Causes skin irritation

H319 Causes serious eye irritation

LABEL ELEMENTS : GHS – US HAZARD PICTOGRAMS The product is classified and labeled according

to the Globally Harmonized System (GHS).

HAZARD PICTOGRAMS :

 $\bigcirc$ 

SIGNAL WORD : WARNING

**HAZARD STATEMENTS**: H302 Harmful if swallowed.

P101

(GHS-US)

: H315 Causes skin irritation.

: H319 Causes serious eye irritation.

**PRECAUTIONARY STATEMENTS** 

(GHS-US)

P102 Keep out of reach of children.

: P103 Read label before use.

: P264 Wash skin and contaminated clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
 P280 Wear suitable protective gloves/protective clothing/eye

protection/face protection.

: P301+ IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

If medical advice is needed, have product container or label at hand.

P312 unwell.

: P302+P352 : IF ON SKIN: Wash with plenty of soap and water.

P305+351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove

P338 contact lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations

OSHA HAZARDS : D-Limonene: Combustible Liquid, Target Organ Effect, Skin Sensitizer, Irritant CLASSIFICATION SYSTEM : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA RATINGS (SCALE 0-4) : Health = 2, Fire = 0, Reactivity = 0

**HMIS RATINGS (SCALE 0-5)** : Health = 2, Fire = 0, Reactivity = 0

## **SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS**

**CHEMICAL CHARACTERISTIC** 

Mixtures

**DESCRIPTION** 

: Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS#	EC#	GHS CLASS	
D-Limonene (Citrus Terpenes)	20-30	5989-27-5	227-813-5	Flam Liq Cat 3, Acute Tox Oral Cat 5,	
				Skin Irrit Cat 2, Eye Irrit Cat 2A,	
				Skin Sens Cat 1, Acute Tox Aquatic Cat 1	
Alkylbenzene sulfonate/Ethoxylated		68584-24-7	271-531-5	Skin Irrit Cat 2, Eye Irrit Cat 2, Acute Oral	
Alcohol Mixture Proprietary		68439-46-3	112-30-1	Tox Cat 4, Acute Aquatic Tox Cat 2	

Irrit = Irritation, Cor = Corrosive, Dam = Damage, Cat = Category, Tox = Toxic, STOT = Specific Target Organ Toxicity.

### **SECTION 4 – FIRST AID MEASURES**

## **DESCRIPTION OF FIRST AID MEASURES**

**GENERAL** 

Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice. Show the label where possible.

**EYE CONTACT** 

: Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do so.

Continue rinsing. If irritation persists, get immediate medical attention.

**SKIN CONTACT** 

Remove contaminated clothing and shoes. Wash affected skin area with soap and

water. If irritation persists, get immediate medical attention.

**SWALLOWING (INGESTION)** 

If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate

medical attention.

INHALATION

: Remove to fresh air. Get immediate medical attention.

**OTHER INSTRUCTIONS** 

: Rescue personnel must wear appropriate protective equipment during removal of

victims from contaminated areas. Treat symptomatically and supportively.

## **SECTION 5 – FIRE FIGHTING MEASURES**

EXTINGUISHING MEDIA

SPECIAL PROTECTIVE EQUIPMENT AND

PRECAUTIONS FOR FIRE

**FIGHTERS** 

UNUSUAL FIRE AND EXPLOSION HAZARDS

: Dry chemical, foam, water or carbon dioxide.

: In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all

non-essential personnel from the danger area.

: No further relevant information is available.

## **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES : Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.

ENVIRONMENTAL PROCEDURES METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

: Keep spilled material away from sewage/drainage systems and waterways.

All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an

appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

## **SECTION 7 – HANDLING AND STORAGE**

PRECAUTIONS FOR SAFE

**HANDLING** 

: Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent ...

CONDITIONS FOR SAFE

**STORAGE** 

: Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.





## SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

**TLV (THRESHOLD LIMIT VALUE)** 

: The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
D-Limonene (Citrus Terpenes)	Not Established	Not Established	Not Established
Alkylbenzene sulfonate/Ethoxylated	Not Established	Not Established	Not Established
Alcohol Mixture Proprietary			

**EYE PROTECTION**: Wear chem

: Wear chemical splash goggles or face shield.

**SKIN PROTECTION** : Minimize contact with product. Wear chemical resistant coveralls, boots, gloves,

apron and/or suitable long-sleeved clothing.

**RESPIRATORY PROTECTION**: In case of brief exposure use respiratory filter device. In case of intensive or longer

exposure, use respiratory protective device that is independent of circulating air.

**VENTILATION** : Ensure adequate ventilation.

ADDITIONAL MEASURES : Emergency eyewash and safety shower facilities should be available in the

immediate work area.

**REQUIRED WORK/HYGIENE**: Wash hands thoroughly after handling. Keep away from all food stuffs, beverages

and feed. Do not eat, drink or smoke in work area.

## **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE**: Clear amber liquid with citrus odor.

ODOR : Mild odor
ODOR THRESHOLD : Not available
PH : 9.0 - 10.0 AS IS
MELTING POINT/FREEZING : Not available

**POINT** 

BOILING POINT : Approx. 212° F.

FLASH POINT : <160°F, (71°C)

EVAPORATION RATE : Not available

**FLAMMABILITY** : Not combustible at D-limonene levels.

LOWER FLAMMABILITY LIMIT: Not availableUPPER FLAMMABILITY LIMIT: Not availableVAPOR PRESSURE: Not available

**VAPOR DENSITY (AIR=1)** Not available

**RELATIVE DESNITY** 0.96

Soluble in water **SOLUBILITY IN WATER PARTITION COEFFICIENT n-**

Not available

**OCTANOL/WATER** 

**AUTOIGNITION TEMPERATURE** Not available DECOMPOSITION Not available

**TEMPERATURE** 

### **SECTION 10 – STABILITY AND REACTIVITY**

**STABILITY** : Stable under recommended storage conditions.

HAZARDOUS CONDITONS TO

No decomposition if used according to specifications

**AVOID** 

**INCOMPATIBLE MATERIALS** Keep away from strong acids.

HAZARDOUS DECOMPOSITION

No dangerous decomposition products known.

**PRODUCTS** 

## SECTION 11 - TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION **D-Limonene (Citrus Terpenes)** 

**ACUTE TOXICITY** LD50 Oral (rat): >5000 mg/kg. LD50 Dermal (rabbit): >5,000 mg/kg, RD50 Inhalation

(mice): > 1,000 mg/kg.

**IRRITATION** Prolonged or repeated exposure can cause drying or dermatitis of skin. **BIOACCUMULATION** No appreciable bio-concentration is expected in the environment.

**CARCINOGENICITY** This product is not classified as a carcinogen by OSHA, IARC, ACGIH or NTP.

**TOXICOLOGICAL INFORMATION** 

Alkylbenzene sulfonate/Ethoxylated Alcohol Mixture Proprietary

**ACUTE TOXICITY** LD50 Oral (rat): 500-2000 mg/kg (based on component data) LD50 Dermal (rabbit): >2000 mg/kg (based on component data)

LC50 Inhalation: No specific data available.

**ACUTE EFFECTS** May be harmful if inhaled. Avoid breathing vapors of heated liquid. Can cause skin

irritation. Can cause serious eye irritation. Avoid contact. May be harmful if

swallowed. Do not ingest.

**CHRONIC EFFECTS** No specific data available.

**MUTAGENICITY:** Not mutagenetic

**CARCINOGENICITY:** No component of this product at levels greater than 0.1% is identified as

carcinogenic by the IARC, NTP or OSHA.

## **SECTION 12 - ECOLOGICAL INFORMATION**

**ECOLOGICAL INFORMATION** 

**ECOTOXICITY** 

**D-Limonene (Citrus Terpenes)** 

There is no information available at this time for this product. However, a spill may produce significant toxicity to aquatic organisms and ecosystems. Some studies have shown that certain bacteria and fungi have the ability to degrade citrus terpenes, decreasing their toxicity to fish. When spilled, this product may act as an oil, causing

a film, sheen, emulsion or sludge at or beneath the surface of a body of water

**MOBILITY** Citrus Terpenes volatize rapidly.

PERSISTENCE AND

DEGRADABILITY

Readily biodegradable.

**BIOACCUMULATIVE POTENTIAL** : Bio-concentration is not expected to occur.

**ECOLOGICAL INFORMATION** : Alkylbenzene sulfonate/Ethoxylated Alcohol Mixture Proprietary

**ACUTE ECOTOXICITY** : Algae: 72 hr EC50 = 10-50 mg/L (based on component data).

Daphnia magna: 48 hr EC50 = <5 mg/L (based on component data).

Fish: 96 hr LC50 = <5 mg/L (based on component data).

PERSISTENCE AND

: Considered to be readily biodegradable.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL : Not expected to bioaccumulate.

MOBILITY IN SOIL : No specific data available.

OTHER ADVERSE EFFECTS : This product may be harmful to the environment and aquatic organisms if released

in large quantities. Avoid release into sewers, drains, and other waterways. Inform the relevant authorities if the product has cause environmental pollution. Collect

spillage.

### **SECTION 13 – DISPOSAL CONSIDERATIONS**

**WASTE DISPOSAL** : This product must be disposed of in accordance with Federal, state and local

environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should

be classified as a hazardous waste.

## **SECTION 14 – TRANSPORTATION INFORMATION**

DOT/IMDG/ IATA PROPER

SHIPPING NAME

: Not Hazardous

HAZARD CLASS AND LABEL : Not Applicable.
UN NUMBER : Not Applicable.
PACKAGING GROUP : Not Applicable.
EPA REPORTABLE QUANTITY : Not Applicable.

(RQ)

MARINE POLLUTANT : Not listed.

EMERGENCY RESPONSE GUIDE : Not Applicable.

## **SECTION 15 - REGULATORY INFORMATION**

U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information.

**U.S. FEDERAL REGULATORY INFORMATION:** 

LISTED CARCINOGEN : Not listed.

**TSCA STATUS**: The ingredients of this product are listed in TSCA inventory (40CFR 710.)

**SARA SECTION 302** : No chemicals in this material are subject to the reporting requirements of SARA Title

III, Section 302.

**SARA SECTION 312** : Chronic health hazard (Glycol Ether DPM).

**SARA SECTION 313** : This material does not contain any chemical components with known CAS numbers

that exceed the threshold (De Minimis) reporting levels established by SARA Title III,

Section 313.

NFPA HEALTH : 2 NFPA FLAMMABILITY : 0 NFPA REACTIVITY : 0

**EUROPEAN UNION REGULATORY INFORMATION:** 

**EC CLASSIFICATION** : Non Hazardous

DSD/DPD RISK (R) PHRASES : R22: Harmful is swallowed.

R36/38: Irritating to eyes and skin.

DSD/DPD SAFETY (S) PHRASES : S1/2: Keep locked up and out of reach of children.

S24/25: Avoid contact with eyes and skin.

S26: In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice.

S36/S37/39: Wear suitable protective clothing, gloves and

eye/face protection.

S45: In case of accidents or if you feel unwell, seek medical

advice immediately. Show label where possible.

S61: Avoid release to the environment. S62: If swallowed, do not induce vomiting.

S64: If swallowed, rinse mouth with water if victim is

conscious.

DSD/DPD HAZARD SYMBOL : Xi: Irritant

### **CANADIAN REGULATORY INFORMATION:**

**WHMIS CATEGORY** : D2B: Materials that cause other toxic effects (TOXIC).

Note: D-Limonene is a WHMIS B3 (combustible) chemical,

but not at the levels present in this product.



**DOMESTIC SUBSTANCES LIST** 

(DSL)

INGREDIENT DISCLOSURE LIST

: Listed

: Listed

## **SECTION 16 - OTHER INFORMATION**

**DISCLAIMER** : The information contained herein has been compiled from sources believed to be

realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and

recommendations in the specific context of their intended use.

**CERCLA** : Comprehensive Environmental Response, Compensation, and Liability Act.

**EINECS**: European Inventory of Existing Commercial Chemical Substances

IMDG : International Maritime Code for Dangerous Goods
 IARC : International Agency for Research on Cancer
 IATA : International Air Transportation Association

ACGIH : American Conference of Governmental Industrial Hygienists

NFPA : National Fire Protection Association (USA)

NTP : National Toxicology Program

SARA : Superfund Amendments and Reauthorization Act

TSCA : Toxic Substances Control Act

HMISHazardous Materials Identification System (USA)WHMISWorkplace Hazardous Materials Information System

**LC50** : Lethal concentration, 50 percent

**LD50** : Lethal dose, 50 percent

**STOT** : Systemic Target Organ Toxicity

**DATE PREPARED** : MAR 1, 2006 **DATE REVISED** : MAR 1, 2018