SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME WOOLMASTER

SYNONYMS Product is a mixture: No synonyms are available

PRODUCT USESUPPLIER

PH Neutral Material
HYDRAMASTER CORP.

SUPPLIER'S ADDRESS 11015 47TH AVE W, MUKILTEO, WA 98275

(425) 776-7272

EMERGENCY RESPONSE PHONE PERS: 1-800-633-8253

SECTION 2 – HAZARD IDENTIFICATION

GHS – US CLASSIFICATION : No need for classification according to GHS criteria for this product.

HAZARD PICTOGRAMS : Not applicable.

SIGNAL WORD : Not applicable.

GHS LABEL ELEMENTS : The product does not require a hazard warning label in accordance with GHS

criteria.

GHS PHYSICAL HAZARDS Not applicable.

OSHA HAZARDS: Target Organ Effect (Glycol Ether DPM)TARGET ORGANS: Kidney, Liver, Nerves (Glycol Ether DPM).

CLASSIFICATION SYSTEM : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA RATINGS (SCALE 0-4) : Health = 1, Fire = 0, Reactivity = 0 HMIS RATINGS (SCALE 0-5) : Health = 1, Fire = 0, Reactivity = 0

SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC: Mixtures

DESCRIPTION : Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS#	EC#	GHS CLASS
Dipropylene glycol methyl ether	0.1-1	34590-94-8	252-104-2	Eye Irrit: Cat 2B
Alcohol (C9-11) Ethoxylated	1-5	68439-46-3	Not Found	Eye Irrit Cat 2B
Sodium Citrate	1-5	6132-04-3	200-675-3	Not Classified Under GHS
Sodium Gluconate	< 1	527-07-1	208-407-7	Not Found
Polymers	10-20	Trade Secret	Trade Secret	Not Classified Under GHS
Dimethyldecyl Amine Oxide	1-5	2605-79-0	220-020-5	Not Found

Irrit = Irritation, Corr = Corrosion, Cat = Category, Dam = Damage, Tox = Toxic, STOT SE = Specific Target Organ Toxicity Single Exposure, Also contains non hazardous biodegradable surfactant(s).

SECTION 4 – FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice. Show the label where possible.

EYE CONTACT: Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to

ensure adequate flushing. If irritation persists, get immediate medical attention.

SKIN CONTACT: Remove contaminated clothing and shoes. Wash affected skin area with soap and

water. If irritation occurs, get medical attention.

SWALLOWING (INGESTION): If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING.

If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting

stops.

INHALATION

Remove to fresh air. If symptoms persist, get medical attention.

OTHER INSTRUCTIONS

Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA SPECIAL PROTECTIVE **EQUIPMENT AND** PRECAUTIONS FOR FIRE Dry chemical, foam, water or carbon dioxide.

FIGHTERS

In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all non-essential personnel from the danger area. Use water spray to cool nearby

containers.

UNUSUAL FIRE AND **EXPLOSION HAZARDS** : No further relevant information is available.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS. **PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES ENVIRONMENTAL PROCEDURES** Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Keep spilled material away from sewage/drainage systems and waterways.

All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE

PRECAUTIONS FOR SAFE

HANDLING

CONDITIONS FOR SAFE STORAGE

: Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent

Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.





SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

: The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
Dipropylene glycol methyl ether	100 ppm, 600mg/m ³	100 ppm	150 ppm
Alcohols (C9-11) Ethoxylated	Not Established	Not Established	Not Established
Sodium CitrateDihydrate	Not Established	Not Established	Not Established
Sodium Gluconate	Not Established	Not Established	Not Established
Polymers	Not Established	Not Established	Not Established

Dimethyldecyl Amine Oxide Not Established Not Established Not Established

EYE PROTECTION : Wear chemical safety glasses or goggles.

SKIN PROTECTION : Minimize contact with product. Wear chemical resistant coveralls, boots, gloves,

apron and/or suitable long-sleeved clothing.

RESPIRATORY PROTECTION: In case of brief exposure use respiratory filter device. In case of intensive or longer

exposure, use respiratory protective device that is independent of circulating air.

VENTILATION : Ensure adequate ventilation.

ADDITIONAL MEASURES : Emergency eyewash and safety shower facilities should be available in the

immediate work area.

REQUIRED WORK/HYGIENE : Wash hands thoroughly after handling. Keep away from all food stuffs, beverages

and feed. Do not eat, drink or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE : Clear liquid with mild odor
ODOR : Mild pleasant fragrance.

ODOR THRESHOLD: Not availablePH: 8.0 ± 0.5 : AS ISMELTING POINT/FREEZING: Not available

POINT

BOILING POINT : Approx. 212° F.

FLASH POINT : Non flammable, non combustible

EVAPORATION RATE : Not available

FLAMMABILITY : Non flammable-Non combustible

LOWER FLAMMABILITY LIMIT: Not availableUPPER FLAMMABILITY LIMIT: Not availableVAPOR PRESSURE: Not availableVAPOR DENSITY (AIR=1): Not available

RELATIVE DESNITY : 1.04

SOLUBILITY IN WATER : Soluble in water PARTITION COEFFICIENT n- : Not available

OCTANOL/WATER

AUTOIGNITION TEMPERATURE : Not available DECOMPOSITION : Not available

TEMPERATURE

SECTION 10 – STABILITY AND REACTIVITY

STABILITY : Stable under recommended storage conditions.

HAZARDOUS CONDITONS TO : No decomposition if used according to specifications

AVOID

INCOMPATIBLE MATERIALS

: Keep away from strong acids.

HAZARDOUS DECOMPOSITION

No dangerous decomposition products known.

PRODUCTS

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION

: Dipropylene Glycol Methyl Ether

ACUTE TOXICITY

: LD50 values: Oral LD50: 5152 mg/kg (rat). LC50 dermal and inhalation: Not listed. Eyes: Rabbit: Mild Irritation: 25 hours.

CARCINOGENICITY

: No component of this product present at levels greater than or equal to 0.1% is identified as probable or confirmed human carcinogen by IARC, ACGIH, NTP, and

OSHA.

TOXICOLOGICAL INFORMATION : Alcohols (C9-11) Ethoxylated LD50 Oral (rat): 1,378 mg/kg, **ACUTE TOXICITY**

INHALATION LC50 : No data available.

DERMAL LD50 LD50 Dermal (rat): > 5,000 mg/kg. **PRIMARY SKIN IRRITATION** (Rabbit) Moderate to severely irritating.

PRIMARY EYE IRRITATION (Rabbit) Severely irritating.

TOXICOLOGICAL INFORMATION : Sodium Gluconate

ACUTE TOXICITY LD50: Not available, LC50: Not available.

CHRONIC EFFECTS ON HUMANS Not available.

OTHER TOXIC EFFECTS ON

Slightly hazardous in case of skin contact (irritant, permeator), of ingestion, of **HUMANS** inhalation.

TOXICOLOGICAL INFORMATION **Dimethyldecyl Amine Oxide**

LD50 Oral (rat): Dose: 3 300 mg/kg, Method: DOT **ACUTE TOXICITY**

SKIN IRRITATION rabbit

Result: Essentially non-irritating

FURTHER INFORMATION Information given is based on data on the components and the toxicology of similar

products. No data is available on the product itself.

SECTION 12 - ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION : Dipropylene Glycol Methyl Ether

ECOTOXICITY (aguatic and terrestrial, where available):

ACUTE FISH TOXICITY : LC50 / 96 hours Fathead Minnow - >10,000 mg/L

TOXICITY TO DAPHNIA : EC50 / 48 hours Water flea - 1,919 mg/L

PERSISTENCE AND No data available.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL : No data available.

ECOLOGICAL INFORMATION Alcohols (C9-11) Ethoylated

ECOTOXICITY LC50 Rainbow Trout: 1-10 mg/l, 96hr. Value estimated from tests on similar

products.

LC50 Fathead Minow: 6 mg/l, 96hr. Value estimated from tests on similar products.

BIODEGRADABILITY Readily biodegradable. **PERSISTENCE AND** No data available.

DEGRADABILITY

: No data available. BIOACCUMULATIVE POTENTIAL

ECOLOGICAL INFORMATION : Sodium Gluconate **ECOTOXICITY** : Not available

BOD5 AND COD : Not available

PRODUCTS OF Possibly hazardous short term degradation products are not likely. However, long

term degradation products may arise. **BIODEGRADATION**

TOXICITY OF PRODUCTS OF

BIODEGRADATION

The product and products of biodegradation are not toxic.

ECOLOGICAL INFORMATION Dimethyldecyl Amine Oxide

ENVITONMENTAL EFFECTS Toxic to aquatic organisms; may cause long-term adverse effects in the aquatic

environment. Marine pollutant.

ADDITIONAL ECOLOGICAL

INFORMATION

No data is available on the product itself.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL : This product must be disposed of in accordance with Federal, state and local

environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should

be classified as a hazardous waste.

SECTION 14 – TRANSPORTATION INFORMATION

DOT/IMDG/ IATA PROPER

: Not Hazardous

SHIPPING NAME

HAZARD CLASS AND LABEL : Not Applicable.
UN NUMBER : Not Applicable.
PACKAGING GROUP : Not Applicable.

EPA REPORTABLE QUANTITY

Not Applicable.

(RQ)

MARINE POLLUTANT : Not listed.

EMERGENCY RESPONSE GUIDE : Not Applicable.

SECTION 15 - REGULATORY INFORMATION

U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information

U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN : Not listed.

TSCA STATUS: The ingredients of this product are listed in TSCA inventory (40CFR 710.)

SARA SECTION 302 : No chemicals in this material are subject to the reporting requirements of SARA Title

III, Section 302.

SARA SECTION 312 : Chronic health hazard (Glycol Ether DPM).

SARA SECTION 313 : This material does not contain any chemical components with known CAS numbers

that exceed the threshold (De Minimis) reporting levels established by SARA Title III,

Section 313.

NFPA HEALTH : 1
NFPA FLAMMABILITY : 0
NFPA REACTIVITY : 0

EUROPEAN UNION REGULATORY INFORMATION:

EC CLASSIFICATION : Non Hazardous

DSD/DPD RISK (R) PHRASES : R22: Harmful is swallowed.

R36: Irritating to the eyes.

DSD/DPD SAFETY (S) PHRASES : S1/2: Keep locked up and out of reach of children.

S24/25: Avoid contact with eyes and skin.

S26: In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice. S36/S37: Wear suitable protective, gloves.

S45: In case of accidents or if you feel unwell, seek medical

advice immediately. Show label where possible. S62: If swallowed, do not induce vomiting.

S64: If swallowed, rinse mouth with water if victim is

conscious.

DSD/DPD HAZARD SYMBOL : Not Classified.

CANADIAN REGULATORY INFORMATION:

WHMIS CATEGORY : D2B: Materials that cause other toxic effects (TOXIC)

(dipropylene glycol methyl ether).

DOMESTIC SUBSTANCES LIST

(DSL)

: Listed

INGREDIENT DISCLOSURE LIST : Listed



SECTION 16 - OTHER INFORMATION

DISCLAIMER : The information contained herein has been compiled from sources believed to be

realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and

recommendations in the specific context of their intended use.

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act.

EINECS : European Inventory of Existing Commercial Chemical Substances

IMDG
 International Maritime Code for Dangerous Goods
 IARC
 International Agency for Research on Cancer
 IATA
 International Air Transportation Association

ACGIH : American Conference of Governmental Industrial Hygienists

NFPA : National Fire Protection Association (USA)

NTP : National Toxicology Program

SARA : Superfund Amendments and Reauthorization Act

TSCA : Toxic Substances Control Act

HMISHazardous Materials Identification System (USA)WHMISWorkplace Hazardous Materials Information System

LC50 : Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

STOT : Systemic Target Organ Toxicity

DATE PREPARED : JAN 2, 2013 **DATE REVISED** : MARCH 28, 2018